

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with S. Stephan on 5/5/09.

The application has been amended as follows:

- Claim 12: line 4, "by" is deleted and replaced by - - during corona electrostatic - -; line 4-5 the phrase "only with difficulty when compared to coating of the external surfaces of the ferromagnetic body" has been deleted.

- Claim 33, line 3, "by" is deleted and replaced by - - during corona electrostatic - -; line 3-4, the phrase "only with difficulty when compared to coating of the external surfaces of the ferromagnetic body" has been deleted.

- Claims 28,32 have been canceled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frederick J. Parker whose telephone number is 571/ 272-1426. The examiner can normally be reached on Mon-Thur. 6:15am -3:45pm, and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on 571/272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Frederick J. Parker  
Primary Examiner  
Art Unit 1792

/Frederick J. Parker/  
Primary Examiner, Art Unit 1792